

Number	Reaction	A	n	E	Ref.	
1f	$\text{H} + \text{O}_2 \rightleftharpoons \text{OH} + \text{O}$	3.520E+16	-0.70	71.4	[1]	
2f	$\text{H}_2 + \text{O} \rightleftharpoons \text{OH} + \text{H}$	5.060E+04	2.67	26.3	[1]	
3f	$\text{H}_2 + \text{OH} \rightleftharpoons \text{H}_2\text{O} + \text{H}$	1.170E+09	1.30	15.2	[1]	
4f	$\text{H}_2\text{O} + \text{O} \rightleftharpoons 2 \text{OH}$	7.600E+00	3.84	53.5	[1]	
5f ^a	$2 \text{H} + \text{M}^{(1)} \rightleftharpoons \text{H}_2 + \text{M}^{(1)}$	1.300E+18	-1.00	0	[2]	
6f ^a	$\text{H} + \text{OH} + \text{M}^{(2)} \rightleftharpoons \text{H}_2\text{O} + \text{M}^{(2)}$	4.000E+22	-2.00	0	[2]	
7f ^a	$2 \text{O} + \text{M}^{(3)} \rightleftharpoons \text{O}_2 + \text{M}^{(3)}$	6.170E+15	-0.50	0	[2]	
8f ^a	$\text{H} + \text{O} + \text{M}^{(4)} \rightleftharpoons \text{OH} + \text{M}^{(4)}$	4.710E+18	-1.00	0	[2]	
9f ^a	$\text{O} + \text{OH} + \text{M}^{(4)} \rightleftharpoons \text{HO}_2 + \text{M}^{(4)}$	8.000E+15	0.00	0	[2]	
10f ^{a,b}	$\text{H} + \text{O}_2 + \text{M}^{(5)} \rightleftharpoons \text{HO}_2 + \text{M}^{(5)}$	k_0	5.750E+19	-1.40	0	[3, 2]
		k_∞	4.650E+12	0.44	0	
11f	$\text{HO}_2 + \text{H} \rightleftharpoons 2 \text{OH}$	7.080E+13	0.00	1.23	[4]	
12f	$\text{HO}_2 + \text{H} \rightleftharpoons \text{H}_2 + \text{O}_2$	1.660E+13	0.00	3.44	[4]	
13f	$\text{HO}_2 + \text{H} \rightleftharpoons \text{H}_2\text{O} + \text{O}$	3.100E+13	0.00	7.2	[1]	
14f	$\text{HO}_2 + \text{O} \rightleftharpoons \text{OH} + \text{O}_2$	2.000E+13	0.00	0	[5]	
15f	$\text{HO}_2 + \text{OH} \rightleftharpoons \text{H}_2\text{O} + \text{O}_2$	2.890E+13	0.00	-2.08	[1]	
16f ^{a,b}	$2 \text{OH} + \text{M}^{(6)} \rightleftharpoons \text{H}_2\text{O}_2 + \text{M}^{(6)}$	k_0	2.300E+18	-0.90	-7.12	[1]
		k_∞	7.400E+13	-0.37	0	
17f	$2 \text{HO}_2 \rightleftharpoons \text{H}_2\text{O}_2 + \text{O}_2$	3.020E+12	0.00	5.8	[1]	
18f	$\text{H}_2\text{O}_2 + \text{H} \rightleftharpoons \text{HO}_2 + \text{H}_2$	4.790E+13	0.00	33.3	[6]	
19f	$\text{H}_2\text{O}_2 + \text{H} \rightleftharpoons \text{H}_2\text{O} + \text{OH}$	1.000E+13	0.00	15	[6]	
20f	$\text{H}_2\text{O}_2 + \text{OH} \rightleftharpoons \text{H}_2\text{O} + \text{HO}_2$	7.080E+12	0.00	6	[1]	
21f	$\text{H}_2\text{O}_2 + \text{O} \rightleftharpoons \text{HO}_2 + \text{OH}$	9.630E+06	2.00	16.7	[1]	
22f	$\text{CO} + \text{OH} \rightleftharpoons \text{CO}_2 + \text{H}$	4.400E+06	1.50	-3.1	[1]	
23f	$\text{CO} + \text{HO}_2 \rightleftharpoons \text{CO}_2 + \text{OH}$	6.000E+13	0.00	96	[1]	
24f	$\text{CO} + \text{O}_2 \rightleftharpoons \text{CO}_2 + \text{O}$	1.000E+12	0.00	200	[2]	
25f ^a	$\text{HCO} + \text{M}^{(7)} \rightleftharpoons \text{CO} + \text{H} + \text{M}^{(7)}$	1.860E+17	-1.00	71.1	[7]	
26f	$\text{HCO} + \text{H} \rightleftharpoons \text{CO} + \text{H}_2$	5.000E+13	0.00	0	[8]	
27f	$\text{HCO} + \text{O} \rightleftharpoons \text{CO} + \text{OH}$	3.000E+13	0.00	0	[1]	
28f	$\text{HCO} + \text{O} \rightleftharpoons \text{CO}_2 + \text{H}$	3.000E+13	0.00	0	[1]	
29f	$\text{HCO} + \text{OH} \rightleftharpoons \text{CO} + \text{H}_2\text{O}$	3.000E+13	0.00	0	[9]	
30f	$\text{HCO} + \text{O}_2 \rightleftharpoons \text{CO} + \text{HO}_2$	7.580E+12	0.00	1.72	[10]	
31f	$\text{HCO} + \text{CH}_3 \rightleftharpoons \text{CO} + \text{CH}_4$	5.000E+13	0.00	0	[8]	
32f ^{a,b}	$\text{H} + \text{HCO} + \text{M}^{(8)} \rightleftharpoons \text{CH}_2\text{O} + \text{M}^{(8)}$	k_0	1.350E+24	-2.57	1.78	[11]
		k_∞	1.090E+12	0.48	-1.09	
33f	$\text{CH}_2\text{O} + \text{H} \rightleftharpoons \text{HCO} + \text{H}_2$	5.740E+07	1.90	11.5	[12]	

Number	Reaction	A	n	E	Ref.
34f	$\text{CH}_2\text{O} + \text{O} \rightleftharpoons \text{HCO} + \text{OH}$	3.500E+13	0.00	14.7	[1]
35f	$\text{CH}_2\text{O} + \text{OH} \rightleftharpoons \text{HCO} + \text{H}_2\text{O}$	3.900E+10	0.89	1.7	[1]
36f	$\text{CH}_2\text{O} + \text{O}_2 \rightleftharpoons \text{HCO} + \text{HO}_2$	6.000E+13	0.00	170	[13]
37f	$\text{CH}_2\text{O} + \text{HO}_2 \rightleftharpoons \text{HCO} + \text{H}_2\text{O}_2$	4.110E+04	2.50	42.7	[14]
38f	$\text{CH}_4 + \text{H} \rightleftharpoons \text{H}_2 + \text{CH}_3$	1.300E+04	3.00	33.6	[15]
39f	$\text{CH}_4 + \text{OH} \rightleftharpoons \text{H}_2\text{O} + \text{CH}_3$	1.600E+07	1.83	11.6	[15]
40f	$\text{CH}_4 + \text{O} \rightleftharpoons \text{CH}_3 + \text{OH}$	1.900E+09	1.44	36.3	[16]
41f	$\text{CH}_4 + \text{O}_2 \rightleftharpoons \text{CH}_3 + \text{HO}_2$	3.980E+13	0.00	238	[7, 17]
42f	$\text{CH}_4 + \text{HO}_2 \rightleftharpoons \text{CH}_3 + \text{H}_2\text{O}_2$	9.030E+12	0.00	103	[7, 17]
43f	$\text{CH}_3 + \text{H} \rightleftharpoons \text{T-CH}_2 + \text{H}_2$	1.800E+14	0.00	63.2	[16]
44f	$\text{CH}_3 + \text{H} \rightleftharpoons \text{S-CH}_2 + \text{H}_2$	1.550E+14	0.00	56.4	[16]
45f	$\text{CH}_3 + \text{OH} \rightleftharpoons \text{S-CH}_2 + \text{H}_2\text{O}$	4.000E+13	0.00	10.5	[18, 8]
46f	$\text{CH}_3 + \text{O} \rightleftharpoons \text{CH}_2\text{O} + \text{H}$	8.430E+13	0.00	0	[16]
47f	$\text{CH}_3 + \text{T-CH}_2 \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}$	4.220E+13	0.00	0	[13]
48f	$\text{CH}_3 + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{O} + \text{OH}$	5.000E+12	0.00	0	[13]
49f	$\text{CH}_3 + \text{O}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{OH}$	3.300E+11	0.00	37.4	[19]
50f	$\text{CH}_3 + \text{O}_2 \rightleftharpoons \text{CH}_3\text{O} + \text{O}$	1.100E+13	0.00	116	[19]
51f	$2 \text{CH}_3 \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}_2$	1.000E+14	0.00	134	[20]
52f	$2 \text{CH}_3 \rightleftharpoons \text{C}_2\text{H}_5 + \text{H}$	3.160E+13	0.00	61.5	[21]
53f ^{a,b}	$\text{H} + \text{CH}_3 + \text{M}^{(9)} \rightleftharpoons \text{CH}_4 + \text{M}^{(9)}$	k_0 2.470E+33	-4.76	10.2	[22]
		k_∞ 1.270E+16	-0.63	1.6	
54f ^{a,b}	$2 \text{CH}_3 + \text{M}^{(8)} \rightleftharpoons \text{C}_2\text{H}_6 + \text{M}^{(8)}$	k_0 1.270E+41	-7.00	11.6	[15]
		k_∞ 1.810E+13	0.00	0	
55f	$\text{S-CH}_2 + \text{OH} \rightleftharpoons \text{CH}_2\text{O} + \text{H}$	3.000E+13	0.00	0	[16]
56f	$\text{S-CH}_2 + \text{O}_2 \rightleftharpoons \text{CO} + \text{OH} + \text{H}$	3.130E+13	0.00	0	[16]
57f	$\text{S-CH}_2 + \text{CO}_2 \rightleftharpoons \text{CO} + \text{CH}_2\text{O}$	3.000E+12	0.00	0	[23]
58f ^a	$\text{S-CH}_2 + \text{M}^{(10)} \rightleftharpoons \text{T-CH}_2 + \text{M}^{(10)}$	6.000E+12	0.00	0	[16]
59f	$\text{T-CH}_2 + \text{H} \rightleftharpoons \text{CH} + \text{H}_2$	6.020E+12	0.00	-7.48	[13]
60f	$\text{T-CH}_2 + \text{OH} \rightleftharpoons \text{CH}_2\text{O} + \text{H}$	2.500E+13	0.00	0	[16]
61f	$\text{T-CH}_2 + \text{OH} \rightleftharpoons \text{CH} + \text{H}_2\text{O}$	1.130E+07	2.00	12.6	[16]
62f	$\text{T-CH}_2 + \text{O} \rightleftharpoons \text{CO} + 2 \text{H}$	8.000E+13	0.00	0	[24]
63f	$\text{T-CH}_2 + \text{O} \rightleftharpoons \text{CO} + \text{H}_2$	4.000E+13	0.00	0	[24]
64f	$\text{T-CH}_2 + \text{O}_2 \rightleftharpoons \text{CO}_2 + \text{H}_2$	2.630E+12	0.00	6.24	[23]
65f	$\text{T-CH}_2 + \text{O}_2 \rightleftharpoons \text{CO} + \text{OH} + \text{H}$	6.580E+12	0.00	6.24	[23]
66f	$2 \text{T-CH}_2 \rightleftharpoons \text{C}_2\text{H}_2 + 2 \text{H}$	1.000E+14	0.00	0	[16]
67f	$\text{CH} + \text{O} \rightleftharpoons \text{CO} + \text{H}$	4.000E+13	0.00	0	[25]

Number	Reaction	A	n	E	Ref.
68f	$\text{CH} + \text{O}_2 \rightleftharpoons \text{HCO} + \text{O}$	1.770E+11	0.76	-2	[26]
69f	$\text{CH} + \text{H}_2\text{O} \rightleftharpoons \text{CH}_2\text{O} + \text{H}$	1.170E+15	-0.75	0	[23]
70f	$\text{CH} + \text{CO}_2 \rightleftharpoons \text{HCO} + \text{CO}$	4.800E+01	3.22	-13.5	[26]
71f	$\text{CH}_3\text{O} + \text{H} \rightleftharpoons \text{CH}_2\text{O} + \text{H}_2$	2.000E+13	0.00	0	[27]
72f	$\text{CH}_3\text{O} + \text{H} \rightleftharpoons \text{S-CH}_2 + \text{H}_2\text{O}$	1.600E+13	0.00	0	[27]
73f	$\text{CH}_3\text{O} + \text{OH} \rightleftharpoons \text{CH}_2\text{O} + \text{H}_2\text{O}$	5.000E+12	0.00	0	[27]
74f	$\text{CH}_3\text{O} + \text{O} \rightleftharpoons \text{OH} + \text{CH}_2\text{O}$	1.000E+13	0.00	0	[27]
75f	$\text{CH}_3\text{O} + \text{O}_2 \rightarrow \text{CH}_2\text{O} + \text{HO}_2$	4.280E-13	7.60	-14.8	[27]
76f ^a	$\text{CH}_3\text{O} + \text{M}^{(9)} \rightleftharpoons \text{CH}_2\text{O} + \text{H} + \text{M}^{(9)}$	7.780E+13	0.00	56.5	[8]
77f	$\text{C}_2\text{H}_6 + \text{H} \rightleftharpoons \text{C}_2\text{H}_5 + \text{H}_2$	5.400E+02	3.50	21.8	[16]
78f	$\text{C}_2\text{H}_6 + \text{O} \rightleftharpoons \text{C}_2\text{H}_5 + \text{OH}$	1.400E+00	4.30	11.6	[16]
79f	$\text{C}_2\text{H}_6 + \text{OH} \rightleftharpoons \text{C}_2\text{H}_5 + \text{H}_2\text{O}$	2.200E+07	1.90	4.7	[16]
80f	$\text{C}_2\text{H}_6 + \text{CH}_3 \rightleftharpoons \text{C}_2\text{H}_5 + \text{CH}_4$	5.500E-01	4.00	34.7	[16]
81f ^{a,b}	$\text{C}_2\text{H}_6 + \text{M}^{(8)} \rightleftharpoons \text{C}_2\text{H}_5 + \text{H} + \text{M}^{(8)}$	k_0 4.900E+42 k_∞ 8.850E+20	-6.43 -1.23	448 428	[15, 11, 8]
82f	$\text{C}_2\text{H}_6 + \text{HO}_2 \rightleftharpoons \text{C}_2\text{H}_5 + \text{H}_2\text{O}_2$	1.320E+13	0.00	85.6	[13, 8]
83f	$\text{C}_2\text{H}_5 + \text{H} \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}_2$	3.000E+13	0.00	0	[16]
84f	$\text{C}_2\text{H}_5 + \text{O} \rightleftharpoons \text{C}_2\text{H}_4 + \text{OH}$	3.060E+13	0.00	0	[16]
85f	$\text{C}_2\text{H}_5 + \text{O} \rightleftharpoons \text{CH}_3 + \text{CH}_2\text{O}$	4.240E+13	0.00	0	[16]
86f	$\text{C}_2\text{H}_5 + \text{O}_2 \rightleftharpoons \text{C}_2\text{H}_4 + \text{HO}_2$	2.000E+12	0.00	20.9	[16]
87f ^{a,b}	$\text{C}_2\text{H}_5 + \text{M}^{(9)} \rightleftharpoons \text{C}_2\text{H}_4 + \text{H} + \text{M}^{(9)}$	k_0 3.990E+33 k_∞ 1.110E+10	-4.99 1.04	167 154	[28, 8]
88f	$\text{C}_2\text{H}_4 + \text{H} \rightleftharpoons \text{C}_2\text{H}_3 + \text{H}_2$	4.490E+07	2.12	55.9	[29]
89f	$\text{C}_2\text{H}_4 + \text{OH} \rightleftharpoons \text{C}_2\text{H}_3 + \text{H}_2\text{O}$	5.530E+05	2.31	12.4	[29]
90f	$\text{C}_2\text{H}_4 + \text{O} \rightleftharpoons \text{CH}_3 + \text{HCO}$	2.250E+06	2.08	0	[13]
91f	$\text{C}_2\text{H}_4 + \text{O} \rightleftharpoons \text{CH}_2\text{CHO} + \text{H}$	1.210E+06	2.08	0	[13]
92f	$2 \text{C}_2\text{H}_4 \rightleftharpoons \text{C}_2\text{H}_3 + \text{C}_2\text{H}_5$	5.010E+14	0.00	271	[30]
93f	$\text{C}_2\text{H}_4 + \text{O}_2 \rightleftharpoons \text{C}_2\text{H}_3 + \text{HO}_2$	4.220E+13	0.00	241	[31]
94f	$\text{C}_2\text{H}_4 + \text{HO}_2 \rightleftharpoons \text{C}_2\text{H}_4\text{O} + \text{OH}$	2.230E+12	0.00	71.9	[13]
95f	$\text{C}_2\text{H}_4\text{O} + \text{HO}_2 \rightleftharpoons \text{CH}_3 + \text{CO} + \text{H}_2\text{O}_2$	4.000E+12	0.00	71.2	[13]
96f ^a	$\text{C}_2\text{H}_4 + \text{M}^{(9)} \rightleftharpoons \text{C}_2\text{H}_3 + \text{H} + \text{M}^{(9)}$	2.600E+17	0.00	404	[32, 8]
97f ^a	$\text{C}_2\text{H}_4 + \text{M}^{(9)} \rightleftharpoons \text{C}_2\text{H}_2 + \text{H}_2 + \text{M}^{(9)}$	3.500E+16	0.00	299	[32, 8]
98f	$\text{C}_2\text{H}_3 + \text{H} \rightleftharpoons \text{C}_2\text{H}_2 + \text{H}_2$	4.000E+13	0.00	0	[8]
99f ^{a,b}	$\text{C}_2\text{H}_3 + \text{M}^{(9)} \rightleftharpoons \text{C}_2\text{H}_2 + \text{H} + \text{M}^{(9)}$	k_0 1.510E+14 k_∞ 6.380E+09	0.10 1.00	137 157	[33, 8]
100f	$\text{C}_2\text{H}_3 + \text{O}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{HCO}$	1.700E+29	-5.31	27.2	[34]

Number	Reaction	A	n	E	Ref.
101f	$\text{C}_2\text{H}_3 + \text{O}_2 \rightleftharpoons \text{CH}_2\text{CHO} + \text{O}$	7.000E+14	-0.61	22	[33, 34]
102f	$\text{C}_2\text{H}_3 + \text{O}_2 \rightleftharpoons \text{C}_2\text{H}_2 + \text{HO}_2$	5.190E+15	-1.26	13.9	[33, 34]
103f	$\text{C}_2\text{H}_2 + \text{O} \rightleftharpoons \text{HCCO} + \text{H}$	4.000E+14	0.00	44.6	[24]
104f	$\text{C}_2\text{H}_2 + \text{O} \rightleftharpoons \text{T-CH}_2 + \text{CO}$	1.600E+14	0.00	41.4	[24]
105f	$\text{C}_2\text{H}_2 + \text{O}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{CO}$	4.600E+15	-0.54	188	[35]
106f	$\text{C}_2\text{H}_2 + \text{OH} \rightleftharpoons \text{CH}_2\text{CO} + \text{H}$	1.900E+07	1.70	4.18	[7, 36]
107f	$\text{C}_2\text{H}_2 + \text{OH} \rightleftharpoons \text{C}_2\text{H} + \text{H}_2\text{O}$	3.370E+07	2.00	58.6	[7, 36]
108f	$\text{CH}_2\text{CO} + \text{H} \rightleftharpoons \text{CH}_3 + \text{CO}$	1.500E+09	1.43	11.2	[37]
109f	$\text{CH}_2\text{CO} + \text{O} \rightleftharpoons \text{T-CH}_2 + \text{CO}_2$	2.000E+13	0.00	9.6	[7, 36]
110f	$\text{CH}_2\text{CO} + \text{O} \rightleftharpoons \text{HCCO} + \text{OH}$	1.000E+13	0.00	8.37	[7, 36]
111f	$\text{CH}_2\text{CO} + \text{CH}_3 \rightleftharpoons \text{C}_2\text{H}_5 + \text{CO}$	9.000E+10	0.00	0	[7, 36]
112f	$\text{HCCO} + \text{H} \rightleftharpoons \text{S-CH}_2 + \text{CO}$	1.500E+14	0.00	0	[24]
113f	$\text{HCCO} + \text{OH} \rightleftharpoons \text{HCO} + \text{CO} + \text{H}$	2.000E+12	0.00	0	[38]
114f	$\text{HCCO} + \text{O} \rightleftharpoons 2 \text{CO} + \text{H}$	9.640E+13	0.00	0	[24]
115f	$\text{HCCO} + \text{O}_2 \rightleftharpoons 2 \text{CO} + \text{OH}$	2.880E+07	1.70	4.19	[33]
116f	$\text{HCCO} + \text{O}_2 \rightleftharpoons \text{CO}_2 + \text{CO} + \text{H}$	1.400E+07	1.70	4.19	[33]
117f	$\text{C}_2\text{H} + \text{OH} \rightleftharpoons \text{HCCO} + \text{H}$	2.000E+13	0.00	0	[16, 36]
118f	$\text{C}_2\text{H} + \text{O} \rightleftharpoons \text{CO} + \text{CH}$	1.020E+13	0.00	0	[16, 36]
119f	$\text{C}_2\text{H} + \text{O}_2 \rightleftharpoons \text{HCCO} + \text{O}$	6.020E+11	0.00	0	[16, 36]
120f	$\text{C}_2\text{H} + \text{O}_2 \rightleftharpoons \text{CH} + \text{CO}_2$	4.500E+15	0.00	105	[16, 36]
121f	$\text{C}_2\text{H} + \text{O}_2 \rightleftharpoons \text{HCO} + \text{CO}$	2.410E+12	0.00	0	[16, 36]
122f	$\text{CH}_2\text{OH} + \text{H} \rightleftharpoons \text{CH}_2\text{O} + \text{H}_2$	3.000E+13	0.00	0	[27]
123f	$\text{CH}_2\text{OH} + \text{H} \rightleftharpoons \text{CH}_3 + \text{OH}$	2.500E+17	-0.93	21.5	[8]
124f	$\text{CH}_2\text{OH} + \text{OH} \rightleftharpoons \text{CH}_2\text{O} + \text{H}_2\text{O}$	2.400E+13	0.00	0	[27]
125f	$\text{CH}_2\text{OH} + \text{O}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{HO}_2$	5.000E+12	0.00	0	[27]
126f ^a	$\text{CH}_2\text{OH} + \text{M}^{(9)} \rightleftharpoons \text{CH}_2\text{O} + \text{H} + \text{M}^{(9)}$	5.000E+13	0.00	105	[27]
127f ^a	$\text{CH}_3\text{O} + \text{M}^{(9)} \rightleftharpoons \text{CH}_2\text{OH} + \text{M}^{(9)}$	1.000E+14	0.00	80	[27]
128f	$\text{CH}_2\text{CO} + \text{OH} \rightleftharpoons \text{CH}_2\text{OH} + \text{CO}$	1.020E+13	0.00	0	[27]
129f	$\text{CH}_3\text{OH} + \text{OH} \rightleftharpoons \text{CH}_2\text{OH} + \text{H}_2\text{O}$	1.440E+06	2.00	-3.51	[27]
130f	$\text{CH}_3\text{OH} + \text{OH} \rightleftharpoons \text{CH}_3\text{O} + \text{H}_2\text{O}$	4.400E+06	2.00	6.3	[8]
131f	$\text{CH}_3\text{OH} + \text{H} \rightleftharpoons \text{CH}_2\text{OH} + \text{H}_2$	1.354E+03	3.20	14.6	[39]
132f	$\text{CH}_3\text{OH} + \text{H} \rightleftharpoons \text{CH}_3\text{O} + \text{H}_2$	6.830E+01	3.40	30.3	[39]
133f	$\text{CH}_3\text{OH} + \text{O} \rightleftharpoons \text{CH}_2\text{OH} + \text{OH}$	1.000E+13	0.00	19.6	[27]
134f	$\text{CH}_3\text{OH} + \text{HO}_2 \rightleftharpoons \text{CH}_2\text{OH} + \text{H}_2\text{O}_2$	8.000E+13	0.00	81.1	[40, 41]
135f	$\text{CH}_3\text{OH} + \text{O}_2 \rightleftharpoons \text{CH}_2\text{OH} + \text{HO}_2$	2.000E+13	0.00	188	[27]
136f ^{a,b}	$\text{CH}_3\text{OH} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3 + \text{OH} + \text{M}^{(9)} \quad k_0$	2.950E+44	-7.35	399	[42, 8]

Number	Reaction		A	n	E	Ref.
		k_∞	1.900E+16	0.00	384	
137f	$\text{CH}_2\text{CHO} \rightleftharpoons \text{CH}_2\text{CO} + \text{H}$		1.047E+37	-7.19	186	[31]
138f	$\text{CH}_2\text{CHO} + \text{H} \rightleftharpoons \text{CH}_3 + \text{HCO}$		5.000E+13	0.00	0	[12]
139f	$\text{CH}_2\text{CHO} + \text{H} \rightleftharpoons \text{CH}_2\text{CO} + \text{H}_2$		2.000E+13	0.00	0	[12]
140f	$\text{CH}_2\text{CHO} + \text{O} \rightleftharpoons \text{CH}_2\text{O} + \text{HCO}$		1.000E+14	0.00	0	[12]
141f	$\text{CH}_2\text{CHO} + \text{OH} \rightleftharpoons \text{CH}_2\text{CO} + \text{H}_2\text{O}$		3.000E+13	0.00	0	[12]
142f	$\text{CH}_2\text{CHO} + \text{O}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{CO} + \text{OH}$		3.000E+10	0.00	0	[12]
143f	$\text{CH}_2\text{CHO} + \text{CH}_3 \rightleftharpoons \text{C}_2\text{H}_5 + \text{CO} + \text{H}$		4.900E+14	-0.50	0	[12]
144f	$\text{CH}_2\text{CHO} + \text{HO}_2 \rightleftharpoons \text{CH}_2\text{O} + \text{HCO} + \text{OH}$		7.000E+12	0.00	0	[12]
145f	$\text{CH}_2\text{CHO} + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CHO} + \text{O}_2$		3.000E+12	0.00	0	[12]
146f	$\text{CH}_2\text{CHO} \rightleftharpoons \text{CH}_3 + \text{CO}$		1.170E+43	-9.80	183	[12]
147f	$\text{CH}_3\text{CHO} \rightleftharpoons \text{CH}_3 + \text{HCO}$		7.000E+15	0.00	342	[12]
148f ^{a,b}	$\text{CH}_3\text{CO} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3 + \text{CO} + \text{M}^{(9)}$	k_0	1.200E+15	0.00	52.3	[12]
		k_∞	3.000E+12	0.00	69.9	
149f	$\text{CH}_3\text{CHO} + \text{OH} \rightleftharpoons \text{CH}_3\text{CO} + \text{H}_2\text{O}$		3.370E+12	0.00	-2.59	[12]
150f	$\text{CH}_3\text{CHO} + \text{OH} \rightleftharpoons \text{CH}_2\text{CHO} + \text{H}_2\text{O}$		3.370E+11	0.00	-2.59	[12]
151f	$\text{CH}_3\text{CHO} + \text{O} \rightleftharpoons \text{CH}_3\text{CO} + \text{OH}$		1.770E+18	-1.90	12.5	[12]
152f	$\text{CH}_3\text{CHO} + \text{O} \rightleftharpoons \text{CH}_2\text{CHO} + \text{OH}$		3.720E+13	-0.20	14.9	[12]
153f	$\text{CH}_3\text{CHO} + \text{H} \rightleftharpoons \text{CH}_3\text{CO} + \text{H}_2$		4.660E+13	-0.30	12.5	[12]
154f	$\text{CH}_3\text{CHO} + \text{H} \rightleftharpoons \text{CH}_2\text{CHO} + \text{H}_2$		1.850E+12	0.40	22.4	[12]
155f	$\text{CH}_3\text{CHO} + \text{CH}_3 \rightarrow \text{CH}_3\text{CO} + \text{CH}_4$		3.900E-07	5.80	9.21	[12]
156f	$\text{CH}_3\text{CHO} + \text{CH}_3 \rightleftharpoons \text{CH}_2\text{CHO} + \text{CH}_4$		2.450E+01	3.10	24	[12]
157f	$\text{CH}_3\text{CHO} + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CO} + \text{H}_2\text{O}_2$		3.600E+19	-2.20	58.6	[12]
158f	$\text{CH}_3\text{CHO} + \text{HO}_2 \rightleftharpoons \text{CH}_2\text{CHO} + \text{H}_2\text{O}_2$		2.320E+11	0.40	62.3	[12]
159f	$\text{CH}_3\text{CHO} + \text{O}_2 \rightleftharpoons \text{CH}_3\text{CO} + \text{HO}_2$		1.000E+14	0.00	177	[12]
160f ^{a,b}	$\text{C}_2\text{H}_5\text{OH} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3 + \text{CH}_2\text{OH} + \text{M}^{(9)}$	k_0	3.000E+16	0.00	243	[8]
		k_∞	5.000E+15	0.00	343	
161f ^{a,b}	$\text{C}_2\text{H}_5\text{OH} + \text{M}^{(9)} \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}_2\text{O} + \text{M}^{(9)}$	k_0	1.000E+17	0.00	226	[8]
		k_∞	8.000E+13	0.00	272	
162f	$\text{C}_2\text{H}_5\text{OH} + \text{OH} \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH} + \text{H}_2\text{O}$		1.810E+11	0.40	3	[12]
163f	$\text{C}_2\text{H}_5\text{OH} + \text{OH} \rightleftharpoons \text{CH}_3\text{CHOH} + \text{H}_2\text{O}$		3.090E+10	0.50	-1.59	[12]
164f	$\text{C}_2\text{H}_5\text{OH} + \text{OH} \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{H}_2\text{O}$		1.050E+10	0.80	3	[12]
165f	$\text{C}_2\text{H}_5\text{OH} + \text{H} \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH} + \text{H}_2$		1.900E+07	1.80	21.3	[12]
166f	$\text{C}_2\text{H}_5\text{OH} + \text{H} \rightleftharpoons \text{CH}_3\text{CHOH} + \text{H}_2$		2.580E+07	1.60	11.8	[12]
167f	$\text{C}_2\text{H}_5\text{OH} + \text{H} \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{H}_2$		1.500E+07	1.60	12.7	[12]
168f	$\text{C}_2\text{H}_5\text{OH} + \text{O} \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH} + \text{OH}$		9.410E+07	1.70	22.8	[12]

Number	Reaction	A	n	E	Ref.
169f	$\text{C}_2\text{H}_5\text{OH} + \text{O} \rightleftharpoons \text{CH}_3\text{CHOH} + \text{OH}$	1.880E+07	1.90	7.62	[12]
170f	$\text{C}_2\text{H}_5\text{OH} + \text{O} \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{OH}$	1.580E+07	2.00	18.6	[12]
171f	$\text{C}_2\text{H}_5\text{OH} + \text{CH}_3 \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH} + \text{CH}_4$	2.190E+02	3.20	40.2	[12]
172f	$\text{C}_2\text{H}_5\text{OH} + \text{CH}_3 \rightleftharpoons \text{CH}_3\text{CHOH} + \text{CH}_4$	7.280E+02	3.00	33.3	[12]
173f	$\text{C}_2\text{H}_5\text{OH} + \text{CH}_3 \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{CH}_4$	1.450E+02	3.00	32	[12]
174f	$\text{C}_2\text{H}_5\text{OH} + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CHOH} + \text{H}_2\text{O}_2$	8.200E+03	2.50	45.2	[12]
175f	$\text{C}_2\text{H}_5\text{OH} + \text{HO}_2 \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH} + \text{H}_2\text{O}_2$	2.430E+04	2.50	66.1	[12]
176f	$\text{C}_2\text{H}_5\text{OH} + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{H}_2\text{O}_2$	3.800E+12	0.00	100	[12]
177f	$\text{C}_2\text{H}_4 + \text{OH} \rightleftharpoons \text{CH}_2\text{CH}_2\text{OH}$	2.410E+11	0.00	-9.96	[12]
178f	$\text{C}_2\text{H}_5 + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CH}_2\text{O} + \text{OH}$	4.000E+13	0.00	0	[12]
179f ^a	$\text{CH}_3\text{CH}_2\text{O} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3\text{CHO} + \text{H} + \text{M}^{(9)}$	5.600E+34	-5.90	106	[12]
180f ^a	$\text{CH}_3\text{CH}_2\text{O} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3 + \text{CH}_2\text{O} + \text{M}^{(9)}$	5.350E+37	-7.00	99.6	[12]
181f	$\text{CH}_3\text{CH}_2\text{O} + \text{O}_2 \rightleftharpoons \text{CH}_3\text{CHO} + \text{HO}_2$	4.000E+10	0.00	4.6	[12]
182f	$\text{CH}_3\text{CH}_2\text{O} + \text{CO} \rightleftharpoons \text{C}_2\text{H}_5 + \text{CO}_2$	4.680E+02	3.20	22.5	[12]
183f	$\text{CH}_3\text{CH}_2\text{O} + \text{H} \rightleftharpoons \text{CH}_3 + \text{CH}_2\text{OH}$	3.000E+13	0.00	0	[12]
184f	$\text{CH}_3\text{CH}_2\text{O} + \text{H} \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}_2\text{O}$	3.000E+13	0.00	0	[12]
185f	$\text{CH}_3\text{CH}_2\text{O} + \text{OH} \rightleftharpoons \text{CH}_3\text{CHO} + \text{H}_2\text{O}$	1.000E+13	0.00	0	[12]
186f	$\text{CH}_3\text{CHOH} + \text{O}_2 \rightleftharpoons \text{CH}_3\text{CHO} + \text{HO}_2$	4.820E+13	0.00	21	[12]
187f	$\text{CH}_3\text{CHOH} + \text{O} \rightleftharpoons \text{CH}_3\text{CHO} + \text{OH}$	1.000E+14	0.00	0	[12]
188f	$\text{CH}_3\text{CHOH} + \text{H} \rightleftharpoons \text{C}_2\text{H}_4 + \text{H}_2\text{O}$	3.000E+13	0.00	0	[12]
189f	$\text{CH}_3\text{CHOH} + \text{H} \rightleftharpoons \text{CH}_3 + \text{CH}_2\text{OH}$	3.000E+13	0.00	0	[12]
190f	$\text{CH}_3\text{CHOH} + \text{HO}_2 \rightleftharpoons \text{CH}_3\text{CHO} + 2 \text{OH}$	4.000E+13	0.00	0	[12]
191f	$\text{CH}_3\text{CHOH} + \text{OH} \rightleftharpoons \text{CH}_3\text{CHO} + \text{H}_2\text{O}$	5.000E+12	0.00	0	[12]
192f ^a	$\text{CH}_3\text{CHOH} + \text{M}^{(9)} \rightleftharpoons \text{CH}_3\text{CHO} + \text{H} + \text{M}^{(9)}$	1.000E+14	0.00	105	[12]
193f	$\text{C}_3\text{H}_4 + \text{O} \rightleftharpoons \text{C}_2\text{H}_4 + \text{CO}$	2.000E+07	1.80	4.18	[43]
194f	$\text{CH}_3 + \text{C}_2\text{H}_2 \rightleftharpoons \text{C}_3\text{H}_4 + \text{H}$	2.560E+09	1.10	57.1	[43]
195f	$\text{C}_3\text{H}_4 + \text{O} \rightleftharpoons \text{HCCO} + \text{CH}_3$	7.300E+12	0.00	9.41	[43]
196f ^{a,b}	$\text{C}_3\text{H}_3 + \text{H} + \text{M} \rightleftharpoons \text{C}_3\text{H}_4 + \text{M}$	k_0	1.00	0	[37]
		k_∞	3.000E+13	0.00	
197f	$\text{C}_3\text{H}_3 + \text{HO}_2 \rightleftharpoons \text{C}_3\text{H}_4 + \text{O}_2$	2.500E+12	0.00	0	[37]
198f	$\text{C}_3\text{H}_4 + \text{OH} \rightleftharpoons \text{C}_3\text{H}_3 + \text{H}_2\text{O}$	5.300E+06	2.00	8.37	[44]
199f	$\text{C}_3\text{H}_3 + \text{O}_2 \rightleftharpoons \text{CH}_2\text{CO} + \text{HCO}$	3.000E+10	0.00	12	[45]
200f ^{a,b}	$\text{C}_3\text{H}_4 + \text{H} + \text{M} \rightleftharpoons \text{C}_3\text{H}_5 + \text{M}$	k_0	-2.00	0	[37]
		k_∞	4.000E+13	0.00	
201f	$\text{C}_3\text{H}_5 + \text{H} \rightleftharpoons \text{C}_3\text{H}_4 + \text{H}_2$	1.800E+13	0.00	0	[46]
202f	$\text{C}_3\text{H}_5 + \text{O}_2 \rightleftharpoons \text{C}_3\text{H}_4 + \text{HO}_2$	4.990E+15	-1.40	93.8	[47]

Number	Reaction	A	n	E	Ref.	
203f	$\text{C}_3\text{H}_5 + \text{CH}_3 \rightleftharpoons \text{C}_3\text{H}_4 + \text{CH}_4$	3.000E+12	-0.32	-0.548	[37]	
204f ^{fa,b}	$\text{C}_2\text{H}_2 + \text{CH}_3 + \text{M} \rightleftharpoons \text{C}_3\text{H}_5 + \text{M}$	k_0	2.000E+09	1.00	0	[37]
		k_∞	6.000E+08	0.00	0	
205f	$\text{C}_3\text{H}_5 + \text{OH} \rightleftharpoons \text{C}_3\text{H}_4 + \text{H}_2\text{O}$	6.000E+12	0.00	0	[37]	
206f	$\text{C}_3\text{H}_3 + \text{HCO} \rightleftharpoons \text{C}_3\text{H}_4 + \text{CO}$	2.500E+13	0.00	0	[44]	
207f	$\text{C}_3\text{H}_3 + \text{HO}_2 \rightleftharpoons \text{OH} + \text{CO} + \text{C}_2\text{H}_3$	8.000E+11	0.00	0	[43]	
208f	$\text{C}_3\text{H}_4 + \text{O}_2 \rightleftharpoons \text{CH}_3 + \text{HCO} + \text{CO}$	4.000E+14	0.00	175	[48]	
209f	$\text{C}_3\text{H}_6 + \text{O} \rightleftharpoons \text{C}_2\text{H}_5 + \text{HCO}$	3.500E+07	1.65	-4.07	[46]	
210f	$\text{C}_3\text{H}_6 + \text{OH} \rightleftharpoons \text{C}_3\text{H}_5 + \text{H}_2\text{O}$	3.100E+06	2.00	-1.25	[46]	
211f	$\text{C}_3\text{H}_6 + \text{O} \rightleftharpoons \text{CH}_2\text{CO} + \text{CH}_3 + \text{H}$	1.200E+08	1.65	1.37	[46]	
212f	$\text{C}_3\text{H}_6 + \text{H} \rightleftharpoons \text{C}_3\text{H}_5 + \text{H}_2$	1.700E+05	2.50	10.4	[46]	
213f ^{fa,b}	$\text{C}_3\text{H}_5 + \text{H} + \text{M}^{(8)} \rightleftharpoons \text{C}_3\text{H}_6 + \text{M}^{(8)}$	k_0	1.330E+60	-12.00	25	[43]
		k_∞	2.000E+14	0.00	0	
214f	$\text{C}_3\text{H}_5 + \text{HO}_2 \rightleftharpoons \text{C}_3\text{H}_6 + \text{O}_2$	2.660E+12	0.00	0	[13]	
215f	$\text{C}_3\text{H}_5 + \text{HO}_2 \rightleftharpoons \text{OH} + \text{C}_2\text{H}_3 + \text{CH}_2\text{O}$	3.000E+12	0.00	0	[13]	
216f ^{fa,b}	$\text{C}_2\text{H}_3 + \text{CH}_3 + \text{M}^{(8)} \rightleftharpoons \text{C}_3\text{H}_6 + \text{M}^{(8)}$	k_0	4.270E+58	-11.94	40.9	[43]
		k_∞	2.500E+13	0.00	0	
217f	$\text{C}_3\text{H}_6 + \text{H} \rightleftharpoons \text{C}_2\text{H}_4 + \text{CH}_3$	1.600E+22	-2.39	46.8	[43]	
218f	$\text{CH}_3 + \text{C}_2\text{H}_3 \rightleftharpoons \text{C}_3\text{H}_5 + \text{H}$	1.500E+24	-2.83	77.9	[43]	
219f ^{fa,b}	$\text{C}_3\text{H}_8 + \text{M} \rightleftharpoons \text{CH}_3 + \text{C}_2\text{H}_5 + \text{M}$	k_0	7.830E+18	0.00	272	[32]
		k_∞	1.100E+17	0.00	353	
220f	$\text{C}_3\text{H}_8 + \text{O}_2 \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{HO}_2$	4.000E+13	0.00	199	[49, 43, 50]	
221f	$\text{C}_3\text{H}_8 + \text{O}_2 \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{HO}_2$	4.000E+13	0.00	213	[49, 43, 50]	
222f	$\text{C}_3\text{H}_8 + \text{H} \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{H}_2$	1.300E+06	2.40	18.7	[49, 43, 50]	
223f	$\text{C}_3\text{H}_8 + \text{H} \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{H}_2$	1.330E+06	2.54	28.3	[50, 51]	
224f	$\text{C}_3\text{H}_8 + \text{O} \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{OH}$	4.760E+04	2.71	8.82	[50, 43]	
225f	$\text{C}_3\text{H}_8 + \text{O} \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{OH}$	1.900E+05	2.68	15.6	[50, 43]	
226f	$\text{C}_3\text{H}_8 + \text{OH} \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{H}_2\text{O}$	1.400E+03	2.66	2.21	[43]	
227f	$\text{C}_3\text{H}_8 + \text{OH} \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{H}_2\text{O}$	2.700E+04	2.39	1.65	[43]	
228f	$\text{C}_3\text{H}_8 + \text{HO}_2 \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{H}_2\text{O}_2$	9.640E+03	2.60	58.2	[50, 51, 43]	
229f	$\text{C}_3\text{H}_8 + \text{HO}_2 \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{H}_2\text{O}_2$	4.760E+04	2.55	69	[50, 51, 43]	
230f	$\text{I-C}_3\text{H}_7 + \text{C}_3\text{H}_8 \rightleftharpoons \text{N-C}_3\text{H}_7 + \text{C}_3\text{H}_8$	8.400E-03	4.20	36.3	[50, 52]	
231f ^{fa,b}	$\text{C}_3\text{H}_6 + \text{H} + \text{M}^{(8)} \rightleftharpoons \text{I-C}_3\text{H}_7 + \text{M}^{(8)}$	k_0	8.700E+42	-7.50	19.8	[43]
		k_∞	1.330E+13	0.00	6.53	
232f	$\text{I-C}_3\text{H}_7 + \text{O}_2 \rightleftharpoons \text{C}_3\text{H}_6 + \text{HO}_2$	1.300E+11	0.00	0	[50, 43]	
233f ^{fa,b}	$\text{N-C}_3\text{H}_7 + \text{M} \rightleftharpoons \text{CH}_3 + \text{C}_2\text{H}_4 + \text{M}$	k_0	5.490E+49	-10.00	150	[50, 43]

Number	Reaction	A	n	E	Ref.	
		k_∞	1.230E+13	-0.10	126	
234f ^{a,b}	H + C ₃ H ₆ + M ⁽⁸⁾ \rightleftharpoons N-C ₃ H ₇ + M ⁽⁸⁾	k_0	6.260E+38	-6.66	29.3	[50, 43]
		k_∞	1.330E+13	0.00	13.6	
235f	N-C ₃ H ₇ + O ₂ \rightleftharpoons C ₃ H ₆ + HO ₂		9.000E+10	0.00	0	[50, 43]

Units are mol, cm³, kJ, K.

The backward rates for all reversible reactions can be calculated from thermodynamic data.

^aThird-body efficiencies are:

$$[M1] = 0.5 [\text{AR}] + 0.5 [\text{HE}] + 2.5 [\text{H2}] + 12 [\text{H2O}] + 1.9 [\text{CO}] + 3.8 [\text{CO2}] + 1 [\text{other}].$$

$$[M2] = 0.38 [\text{AR}] + 0.38 [\text{HE}] + 2.5 [\text{H2}] + 12 [\text{H2O}] + 1.9 [\text{CO}] + 3.8 [\text{CO2}] + 1 [\text{other}].$$

$$[M3] = 0.2 [\text{AR}] + 0.2 [\text{HE}] + 2.5 [\text{H2}] + 12 [\text{H2O}] + 1.9 [\text{CO}] + 3.8 [\text{CO2}] + 1 [\text{other}].$$

$$[M4] = 0.75 [\text{AR}] + 0.75 [\text{HE}] + 2.5 [\text{H2}] + 12 [\text{H2O}] + 1.9 [\text{CO}] + 3.8 [\text{CO2}] + 1 [\text{other}].$$

$$[M5] = 0.7 [\text{AR}] + 0.7 [\text{HE}] + 2.5 [\text{H2}] + 16 [\text{H2O}] + 1.2 [\text{CO}] + 2.4 [\text{CO2}] + 1.5 [\text{C2H6}] + 1 [\text{other}].$$

$$[M6] = 0.4 [\text{AR}] + 0.4 [\text{HE}] + 2 [\text{H2}] + 6 [\text{H2O}] + 1.5 [\text{CO}] + 2 [\text{CO2}] + 2 [\text{CH4}] + 3 [\text{C2H6}] + 1 [\text{other}].$$

$$[M7] = 1.9 [\text{H2}] + 12 [\text{H2O}] + 2.5 [\text{CO}] + 2.5 [\text{CO2}] + 1 [\text{other}].$$

$$[M8] = 0.7 [\text{AR}] + 2 [\text{H2}] + 6 [\text{H2O}] + 1.5 [\text{CO}] + 2 [\text{CO2}] + 2 [\text{CH4}] + 3 [\text{C2H6}] + 1 [\text{other}].$$

$$[M9] = 0.7 [\text{AR}] + 2 [\text{H2}] + 6 [\text{H2O}] + 1.5 [\text{CO}] + 2 [\text{CO2}] + 2 [\text{CH4}] + 1 [\text{other}].$$

$$[M10] = 2.4 [\text{H2}] + 15.4 [\text{H2O}] + 1.8 [\text{CO}] + 3.6 [\text{CO2}] + 1 [\text{other}].$$

$$[M] = 1 [\text{other}].$$

^bPressure dependent reactions are described by the TROE-formulation [53]. The centering parameters are given by:

$$F_{c,10f} = 0.5.$$

$$F_{c,16f} = 0.265 \exp(-T/94 \text{ K}) + 0.735 \exp(-T/1756 \text{ K}) + \exp(-5182 \text{ K}/T).$$

$$F_{c,32f} = 0.2176 \exp(-T/271 \text{ K}) + 0.7824 \exp(-T/2755 \text{ K}) + \exp(-6570 \text{ K}/T).$$

$$F_{c,53f} = 0.217 \exp(-T/74 \text{ K}) + 0.783 \exp(-T/2941 \text{ K}) + \exp(-6964 \text{ K}/T).$$

$$F_{c,54f} = 0.38 \exp(-T/73 \text{ K}) + 0.62 \exp(-T/1180 \text{ K}).$$

$$F_{c,81f} = 0.16 \exp(-T/125 \text{ K}) + 0.84 \exp(-T/2219 \text{ K}) + \exp(-6882 \text{ K}/T).$$

$$F_{c,87f} = 0.832 \exp(-T/1203 \text{ K}).$$

$$F_{c,99f} = 0.7.$$

$$F_{c,136f} = 0.586 \exp(-T/279 \text{ K}) + 0.414 \exp(-T/5459 \text{ K}).$$

$$F_{c,148f} = 1.$$

$$F_{c,160f} = 0.5.$$

$$F_{c,161f} = 0.5.$$

$$F_{c,196f} = 0.5.$$

$$F_{c,200f} = 0.2.$$

$$F_{c,204f} = 0.5.$$

$$F_{c,213f} = 0.98 \exp(-T/1097 \text{ K}) + 0.02 \exp(-T/1097 \text{ K}) + \exp(-6860 \text{ K}/T).$$

$$F_{c,216f} = 0.825 \exp(-T/1341 \text{ K}) + 0.175 \exp(-T/60000 \text{ K}) + \exp(-10140 \text{ K}/T).$$

$$F_{c,219f} = 0.24 \exp(-T/1946 \text{ K}) + 0.76 \exp(-T/38 \text{ K}).$$

$$F_{c,231f} = \exp(-T/645.4 \text{ K}) + \exp(-6844 \text{ K}/T).$$

$$F_{c,233f} = 2.17 \exp(-T/251 \text{ K}) + \exp(-1185 \text{ K}/T).$$

$$F_{c,234f} = \exp(-T/1310 \text{ K}) + \exp(-48100 \text{ K}/T).$$

References

- [1] M.L. Rightley and F.A. Williams. Structures of co diffusion flames near extinction. *Combustion Science and Technology*, 125:181, 1997.
- [2] P. Saxena and F. A. Williams. Testing a small detailed chemical-kinetic mechanism for the combustion of hydrogen and carbon monoxide. *Combustion and Flame*, In Press, 2006.
- [3] J. Troe. Detailed modeling of the temperature and pressure dependence of the reaction $\text{H} + \text{O}_2 (+\text{M}) \rightarrow \text{HO}_2 (+\text{M})$. *Proceedings of the Combustion Institute*, 28:1463–1469, 2000.
- [4] M. Mueller, T. Kim, R. Yetter, and F. Dryer. Flow reactor studies and kinetic modeling of the H_2/O_2 reaction. *International Journal of Chemical Kinetics*, 31:113–125, 1999.
- [5] J. Warnatz. *Combustion Chemistry*. Springer-Verlag, Berlin, 1984.
- [6] R. A. Yetter, F. L. Dryer, and H. Rabitz. A comprehensive reaction mechanism for carbon monoxide/hydrogen/oxygen kinetics. *Combustion Science and Technology*, 79:97–128, 1991.
- [7] R. P. Lindstedt and G. Skevis. Chemistry of acetylene flames. *Combustion Science and Technology*, 125(1–6):73–137, 1997.
- [8] P. Saxena and F. A. Williams. *Work in Progress Communication, Center for Energy Research*, 2005.
- [9] W. Tsang and R. F. Hampson. Chemical kinetic data base for combustion chemistry. part 1. methane and related compounds. *Journal of Physical and Chemical Reference Data*, 15:1087–1276, 1986.
- [10] R. S. Timonen, E. Ratajczak, and D. Gutman. Kinetics of the reactions of the formyl radical with oxygen, nitrogen dioxide, chlorine and bromine. *Journal of Physical Chemistry*, 92:651–655, 1988.
- [11] Gri-mech 1.2. http://www.me.berkeley.edu/gri_mech/.
- [12] J. Li. *Experimental and Numerical Studies of Ethanol Chemical Kinetics*. PhD thesis, Princeton University, 2004.
- [13] D.L. Baulch, C.J. Cobos, R.A. Cox, C. Esser, P. Frank, T. Just, J.A. Kerr, M.J. Pilling, J. Troe, R.W. Walker, and J. Warnatz. Evaluated kinetic data for combustion modeling. *Journal of Physical and Chemical Reference Data*, 21(3):411–749, 1992.

- [14] B. Eiteneer, C. L. Yu, M. Goldenberg, and M. Frenklach. Determination of rate coefficients for reactions of formaldehyde pyrolysis and oxidation in the gas phase. *Journal of Physical Chemistry A*, 102:5196–5205, 1998.
- [15] J.C. Hewson and F.A. Williams. Rate-ratio asymptotic analysis of methane-air diffusion flame structure for predicting production of oxides of nitrogen. *Combustion and Flame*, 117(3):441–476, 1999.
- [16] M. Frenklach, H. Wang, and M. Rabinowitz. Optimization and analysis of large chemical kinetic mechanisms using the solution mapping method - combustion of methane. *Progress in Energy and Combustion Science*, 18(1):47–73, 1992.
- [17] S. C. Li and F. A. Williams. Reaction mechanisms for methane ignition. *Journal of Engineering for Gas Turbines and Power*, 124:471–480, 2002. ASME Paper No. 2000-GT-0145.
- [18] H. H. Grotheer, Kelm, Siegfried, H. S. T. Driver, R. J. Hutcheon, R. D. Lockett, and G. N. Robertson. Elementary reactions in the methanol oxidation system. part i: Establishment of the mechanism and modeling of laminar burning velocities. *Berichte der Bunsen-Gesellschaft – Physical Chemistry Chemical Physics*, 96:1360–1373, 1992.
- [19] R. Zellner and F. Ewig. Computational study of the $ch_3 + o_2$ chain branching reaction. *Journal of Physical Chemistry*, 92:2971–2974, 1988.
- [20] Y. Hidaka, T. Nakamura, H. Tanaka, K. Inami, and H. Kawano. High-temperature pyrolysis of methane in shock-waves - rates for dissociative recombination reactions of methyl radicals and for propyne formation reaction. *International Journal of Chemical Kinetics*, 22:701–709, 1990.
- [21] K.P. Lim and J.V. Michael. The thermal reactions of CH_3 . *Twenty-Fifth Symposium (International) on Combustion*, page 713, 1994.
- [22] Gri-mech 3.0. http://www.me.berkeley.edu/gri_mech/.
- [23] K.M. Leung and R.P. Lindstedt. Detailed kinetic modeling of $C_1 - C_3$ alkane diffusion flames. *Combustion and Flame*, 102:129–160, 1995.
- [24] P. Frank, K.A. Bhaskaran, and T. Just. Acetylene oxidation: The reaction $C_2H_2 + O$ at high temperatures. In *Twenty-First Symposium (International) on Combustion*, page 885, Pittsburgh, Pennsylvania, 1986. The Combustion Institute.
- [25] N. Peters. Flame calculations with reduced mechanisms - an outline. In N. Peters and B. Rogg, editors, *Reduced Kinetic Mechanisms for Applications in Combustion Systems*, volume **m 15** of *Lecture Notes in Physics*, chapter 1, pages 3–14. Springer-Verlag Berlin, 1993.

- [26] M.W. Markus, P. Roth, and T. Just. A shock tube study of the reactions of ch with CO_2 and O_2 . *International Journal of Chemical Kinetics*, 28:171, 1996.
- [27] S.C. Li and Williams F.A. Formation of NO_x , CH_4 , and C_2 species in laminar methanol flames. *Proceedings of the Combustion Institute*, 27:485–493, 1998.
- [28] Y. Feng, J. T. Niiranen, A. Bencsura, V. D. Knyazev, and D. Gutman. Weak collision effects in the reaction $\text{C}_2\text{H}_5 = \text{C}_2\text{H}_4 + \text{H}$. *Journal of Physical Chemistry*, 97(4):871–880, 1993.
- [29] A. Bhargava and P. R. Westmoreland. Measured flame structure and kinetics in a fuel-rich ethylene flame. *Combustion and Flame*, 113(3):333–347, 1998.
- [30] Y. Hidaka, T. Nishimori, K. Sato, Y. Henmi, R. Okuda, and K. Inami. Shock-tube and modeling study of ethylene pyrolysis and oxidation. *Combustion and Flame*, 117(4):755–776, 1999.
- [31] N. M. Marinov and P. C. Malte. Ethylene oxidation in a well-stirred reactor-stirred reactor. *International Journal of Chemical Kinetics*, 27(10):957–986, 1995.
- [32] D.L. Baulch, C.J. Cobos, R.A. Cox, C. Esser, P. Frank, T. Just, J.A. Kerr, M.J. Pilling, J. Troe, R.W. Walker, and J. Warnatz. Summary table of evaluated kinetic data for combustion modeling: Supplement 1. *Combustion and Flame*, 98:59–79, 1994.
- [33] B. Varatharajan and F. A. Williams. Chemical-kinetic descriptions of high-temperature ignition and detonation of acetylene-oxygen-diluent systems. *Combustion and Flame*, 124(4):624–645, 2001.
- [34] N. M. Marinov, W. J. Pitz, C. K. Westbrook, A. M. Vincitroe, M. J. Castaldi, S. M. Senkan, and C. F. Melius. Aromatic and polycyclic aromatic hydrocarbon formation in a laminar premixed n-butane flame. *Combustion and Flame*, 114:192–213, 1998.
- [35] A. Laskin and H. Wang. On initiation reactions of acetylene oxidation in shock tubes - a quantum mechanical and kinetic modeling study. *Chemical Physics Letters*, 303:43–49, 1999.
- [36] M. M. Y. Waly, S. M. A. Ibrahim, S. C. Li, and F. A. Williams. Structure of two-stage flames of natural gas with air. *Combustion and Flame*, 125(3):1217–1221, 2001.
- [37] M. Petrova and F. A. Williams. A small detailed chemical-kinetic mechanism for hydrocarbon combustion. *Combustion and Flame*, 144:526–544, 2006.
- [38] C.K. Westbrook and F.L. Dryer. Chemical kinetic modeling of hydrocarbon combustion. *Progress in Energy and Combustion Science*, 10:1–57, 1984.

- [39] J. T. Jodkowski, M. T. Rayez, J. C. Rayez, T. Berces, and S. Dobe. Theoretical study of the kinetics of the hydrogen abstraction from methanol. 3. reaction of methanol with hydrogen atom, methyl, and hydroxyl radicals. *Journal of Physical Chemistry A*, 103:3750–3765, 1999.
- [40] T. S. Norton and F. L. Dryer. Toward a comprehensive mechanism for methanol pyrolysis. *Journal of Chemical Kinetics*, 22:219–241, 1990.
- [41] R. Seiser, K. Seshadri, and F. A. Williams. Detailed and reduced chemistry for methanol ignition. *Combustion and Flame*, 2011.
- [42] T. Held and F. L. Dryer. A comprehensive mechanism for methanol oxidation. *International Journal of Chemical Kinetics*, 30:805–830, 1998.
- [43] S. G. Davis, C. K. Law, and H. Wang. Propene pyrolysis and oxidation kinetics in flow reactor and in laminar premixed flames. *Combustion and Flame*, 119:375–399, 1999.
- [44] H. Wang and M. Frenklach. A detailed kinetic modeling study of aromatics formation in laminar premixed acetylene and ethylene flames. *Combustion and Flame*, 110(1-2):173–221, 1997.
- [45] I. Slagle and D. Gutman. Kinetics of the reaction of c_3h_3 with molecular oxygen from 293-900 k . In *Twenty-First Symposium (International) on Combustion*, pages 875–883, Pittsburgh, Pennsylvania, 1986. The Combustion Institute.
- [46] W. Tsang. *Journal of Physical and Chemical Reference Data*, 20, 1991.
- [47] J. Bozelli and A. Dean. Hydrocarbon radical reactions with oxygen: Comparison of allyl, formyl, and vinyl to ethyl. *Journal of Physical Chemistry*, 97:4427–4441, 1993.
- [48] H. Wang. A new mechanism for initiation of free-radical chain reactions during high-temperature, homogeneous oxidation of unsaturated hydrocarbons: Ethylene, propyne and allene. *International Journal of Chemical Kinetics*, 33:698–706, 2001.
- [49] B. Varatharajan and F. A. Williams. Ignition times in the theory of branched-chain thermal explosions. *Combustion and Flame*, 121:551–554, 2000.
- [50] W. Tsang. Chemical kinetic data base for combustion chemistry. part 3. propane. *Journal of Physical and Chemical Reference Data*, 17(2):887–951, 1988.
- [51] N. M. Marinov, W. J. Pitz, C. K. Westbrook, M. J. Castald, and S. M. Senkan. Modeling of aromatic and polycyclic aromatic hydrocarbon formation in premixed methane and ethane flames. *Combustion Science and Technology*, 116–117:211–287, 1996.
- [52] Z. Qin. *Shock Tube Modeling Study of Propane Ignition*. PhD thesis, University of Texas at Austin, 1998.

- [53] R. G. Gilbert, K. Luther, and J. Troe. Theory of thermal unimolecular reactions in the fall-off range. ii. weak collision rate constants. *Ber. Bunsenges. Phys. Chem.*, 87:169–177, 1983.