CENG101A: Introductory Fluid Mechanics Fall Quarter 2006 http://maecourses.ucsd.edu/mae210a

Name: \_\_\_\_



Joseph Lagrange (1736–1813)

This is a 50 minute closed-book exam. Please put your name on the top sheet. Answer all four questions. Explain your working and state any assumptions you have made.

Quiz I

- 1 (3 points) Circle the correct answer.
  - 1. A fluid is a substance that
    - cannot change phase.
    - deforms continuously when subjected to a shear stress.
    - cannot deform.
    - can be modelled by a collection of hard spheres.
    - flows when squeezed hard enough.

## 2. Dimensions

- are dimensionless.
- can be ignored in engineering.
- always include feet.
- should be the same on both sides of an equation.
- can be added together (e.g. feet + seconds).

## 3. Pressure

- is minus the normal stress in a fluid at rest.
- is only defined in a fluid at rest.
- is always constant in a fluid.
- depends only on height.
- is a vector.

**2** (5 points) You are given  $\mathbf{a} = (3yz - 2x^3, 2y, z^2)$ ,  $\mathbf{b} = (x - y, 0, 2x^2z)$ , f = 5x + 2x(y + z)z. Calculate  $\mathbf{a} \cdot \mathbf{b}$ ,  $\mathbf{a} \cdot \nabla f$ ,  $\nabla \cdot \mathbf{a}$ ,  $\nabla \times \mathbf{b}$  and  $\nabla(f\mathbf{u})$ .

**3** (10 points) An iceberg of volume *V* made of ice with density  $\rho_i$  floats on water with density  $\rho_w$ . Calculate the submerged volume fraction  $V_s/V$  of the iceberg; what does this give for  $\rho_i = 925 \text{ kg/m}^3$  and  $\rho_w = 1030 \text{ kg/m}^3$ ? Does this result depend on the shape of the iceberg? Is the center of pressure above or below the centroid of the iceberg? If the iceberg drifts into warmer water, does the submerged volume fraction increase or decrease (neglect melting and changes in temperature of the ice)?

4 (12 points) A watertight bulkhead 18 ft high forms a temporary dam for some construction work. The top 10 ft behind the bulkhead consist of seawater with density  $3 \text{ slugs/ft}^3$ , but the bottom 8 ft being a mixture of mud and water can be considered a fluid of density  $5 \text{ slugs/ft}^3$ . Calculate the total horizontal load per unit width and the location of the center of pressure measured from the bottom.